

Contributions

Shibboleth 2 Contributions and Extensions

- [Identity Provider Extensions](#)
- [Service Provider Extensions](#)
- [Discovery Service Extensions](#)
- [Documentation](#)
- [Other, Related, Contributions](#)

Identity Provider Extensions

The following extensions are software components that may be installed into the Shibboleth 2 Identity Provider.

Extension	Supported IdP Versions	Maintainer Contact Info.	Description
uApprove	2.3	aai@switch.ch	Extension that enables users to consent to the release of attributes.
uApprove JP	2.x	GakuNin	Forked version of uApprove (above), which allows users to select attributes to be released.
GridShib for Shib2	?	gridshib-users@globus.org	Enables the IdP to issue Holder-of-Key SAML assertions.
X.509 Login Handler	2.3	aai@switch.ch	The x509-login-handler implements an authentication handler for the Shibboleth IdP and will set the authentication context class <code>urn:oasis:names:tc:SAML:2.0:ac:classes:X509</code> .
IdP Audit Log Analysis Tool	2.x, 3.x	dev@shibboleth.net (subscription required)	Provides IdP usage statistics by analyzing audit log files.
shlook	2.X	bellina@usc.edu	IdP monitoring script for graphing Shibboleth usage
ECP	2.x	users@shibboleth.net (subscription required)	Provides ECP support. Note ECP support was rolled in to the main IdP distribution in version 2.3, do not attempt to use this plugin with that, or future, versions.
RESTful webservice connector	2.x		Provides an attribute data connector to a RESTful webservice.
Dynamic Metadata Provider	2.2	yang.xiang@rzg.mpg.de	Provides a dynamic metadata provider which is based on the newest HTTP metadata provider.
Web Service Data Connector	2.x	nick.x.newman@gmail.com	Provides a connector that can be used to extract attributes from a web service. (And the web service, in turn, can obtain those attributes from almost anywhere.)
Multi Factor Login Handler	2.?, 2.4.x	klas@yubico.com	This is a JAAS-based login handler for Multi Factor authentication (one, two or more factors).
MongoDB connector	2.?	stefan@unitedid.org	Provides an attribute data and persistent ID connector for MongoDB.
OrientDB Connector	2.x	jonathan.tellier@gmail.com	Provides an attribute data connector for OrientDB.

Memcached StorageService	2.3+	haim@hrz.uni-marburg.de	Provides an easy way to connect your Shibboleth IdP to a memcached server, in order to create a stateful cluster. It is intended to be a lightweight alternative to using the Terracotta software.
Ohio State Custom Login Handler	2.2+	dev@shibboleth.net (subscription required)	Ohio State extensions, primarily a custom login module for SSO with stateless clustering, and workflow-like login handler with Velocity-based UI and post-login notification hooks.
German ID card Login Handler	2.x	am@secure-dimensions.com	Provides support authentication with the German ID card (nPA).
Kerberos Login Handler	2.3	aai@switch.ch	The Kerberos Login Handler uses the kerberos protocol to implement an SSO (Single Sign On) authentication mechanism.
User Agent Based Attributes	2.3	service@ukfederation.org.uk	An extension to the username /password login handler and a new data connector that allows for the creation of new attributes based on the IP address of the user agent at authentication time.
Facebook Login Servlet	2.?	jaftowicz@man.poznan.pl	Facebook Login Servlet (FLS) provides three way integration among Identity Provider, Facebook and SQL database. With its help, user can perform quick authentication, based on credentials retrieved from Facebook Graph and data received from SQL database. Connection with a SQL database is completely optional and FLS can use Facebook as a data provider and forward User Fields from Facebook as attributes to Service Provider. In this case FLS evolves into Facebook "Data Connector".
Duo Two-Factor Authentication Login Handler	2.3	http://www.duosecurity.com/product	The Duo Two-Factor Authentication Login Handler for Shibboleth adds Duo Security two-factor authentication to an existing JAAS user authentication for Shibboleth identity providers. It is based on the Shibboleth UsernamePassword login handler.
Infinispan Storage Service	2.3+	users@shibboleth.net (subscription required)	A replacement storage service for Shibboleth IdP v2 that uses Infinispan to provide cluster support.
SSO-CAS Login Handler	2.x	fed-contact@listes.renater.fr	The SSO-CAS Login Handler allows the use of forced authentication while using a SSO-CAS server to authenticate the user.
Munin plugins	2.x	sporth@oit.umass.edu	Munin plugins to graph IdP requests and logins per relying party. Requires the IdP Audit Log Analysis Tool to parse the log files.
Shibboleth-CAS Authenticator	2.3+	dkopylenko@unicon.net	A Shibboleth IdP external authentication plugin that delegates the authentication to the CAS. Supports the ability to utilize a full range of native CAS protocol features such as <code>renew</code> and <code>gateway</code> .
Status Servlet with Terracotta support	2.3+	beall@usc.edu	A servlet to for better status monitoring of an IdP node which is using Terracotta.

Changing IdP Signature Method Algorithm	2.3+	users@shibboleth.net	Instructions and template code for writing a Java Spring bean that can be used to change the IdP signature method algorithm from SHA1 to other algorithms.
Multi-Context Broker	2.3+	users@shibboleth.net	The Multi-Context Broker login handler implements the InCommon Assurance requirements.
Database Backed Storage Service	2.3+	users@shibboleth.net	The Database Backed Storage Service is a replacement storage service for Shibboleth that uses a RDMS for session persistence.
Match functors for MDRPI elements	2.4	service@ukfederation.org.uk	Enables the identity provider to include a requesting entity's <code>registrationAuthority</code> attribute in attribute release policies.
NIIF SLO plugin	2.4+	haim@hrz.uni-marburg.de	Single Logout (SLO) implementation by the Hungarian NIIF institute, but rewritten as plugin for a default Shibboleth IdP 2.4

Service Provider Extensions

The following extensions are software components that may be installed into the Shibboleth 2 Service Provider.

Extension	Supported SP Versions	Maintainer Contact Info.	Description
Attribute Query	2.5 or later	GakuNin Federation/PEOFIAMP	Allows making SAML Attribute Queries via <code>/Shibboleth.sso/AttributeQuery?entityID=...&nameId=...</code> and getting back (user) attributes in a JSON data structure. Also includes a Python script <code>attributequery.py</code> to execute in a terminal. This extension is faster and more interoperable than using the <code>resolvertest</code> binary that is bundled with the SP.

Discovery Service Extensions

The following extensions are software components that may be installed into the Shibboleth 2 Discovery Service.

Extension	Supported DS Versions	Maintainer Contact Info.	Description
-----------	-----------------------	--------------------------	-------------

Documentation

Name	Maintainer Contact Info.	Description
SP on openSUSE	jpr@uab.edu	Notes on building, configuring, and testing the Shibboleth 2.0 SP on openSUSE 10.3
IDP on SuSE SLES10	shibboleth@lrz.de	Setting up the IDP 2.0 on SuSE Linux Enterprise Server (SLES10) (German)
SP on Xserve	luca.testoni@unimore.it	Notes on installing and configuring Shibboleth 2.0 SP on Mac OSX 10.5 (Leopard) XServe (italian language)
Japanese Tutorial	repeatedly@gmail.com	Shibboleth 2 Introduction, Installation, and Configuration
Hosting SP in Azure	kool@uw.edu	Hosting the IIS Shibboleth SP in Azure
Integrating Nginx and a Shibboleth SP with FastCGI	David Beitey	How to utilise Nginx as a front-end web server and integrate it with Shibboleth.


Shibbolize a CAS server	Kevin Foote	Front a CAS server with a Shib-SP and recycle the attributes. (a different cas integration)
Shibboleth IdP Probe	Tom Scavo	A bash script that probes a sequence of Shibboleth IdPs to determine which are based on the Shibboleth IdP V2 software

Other, Related, Contributions

Other software components or documentation related to the use of Shibboleth 2.

Name	Maintainer Contact Info.	Description
XmlSecTool	users@shibboleth.net (subscription required)	Java-based tool for downloading, checking well-formedness, schema validity, and signature of XML documents. Also provides ability to sign XML documents.
Shule Aroon	repeatedly@gmail.com	A discovery service, written in Ruby.
JBoss-SAML	nick.x.newman@gmail.com	An all-Java SP. A Git patch to configure JBoss such that any standard deployed applications become SAML enabled. From a clean JBoss download do "git apply path-to-patch" to apply the changes. A README is supplied. I based the patch on JBoss-6.0.0.M2, but hopefully it will work with other versions too. If you really can't work with the patch I may be able to provide the complete SP, but the patch is really better since it is not tied so tightly to a single JBoss version and it lets you see what has been done.
simple bash ECP client	Scott Koranda	A simple demonstration ECP client written in bash. It requires bash 4 and the curl and xlstproc command line tools. It has been tested on Debian Jessie against a Shib 2.4.4 and 3.2.1 IdP and Shib 2.5.6 Native SP.
simple Python ECP client	Scott Koranda	A simple demonstration ECP client written in Python. It requires Python 2.6+ and the Python lxml toolkit. It has been tested on Debian Wheezy against a Shib 2.4.4 and 3.1.1 IdP and Shib 2.5.4 Native SP.
PKI enabled Python 3.4 ECP client	Rob Eastman	A PKI enabled Python 3.4 ECP client that can take in as arguments a single URL or a "\n" separated file of URLs. Especially helpful for enabling web crawlers to crawl a SAML 2.0 ECP enabled site that requires a PKI certificate at the IdP. Tested with Shibboleth SP 2.5.3 and IdP 2.4.3.

IdP Load Tester	Steve Thorpe	stressTest.sh and its companion program check_sp-test.my.org_shib_login.pl are meant to help "stress test" a Shibboleth IdP (and SP). I used it to run about successful 150-200 logins per minute, using an IdP running on a VM on older HW, with only 512MB RAM. The code exercises SP -> WAYF -> IdP -> SP end-to-end tests and produces ASCII output. YOU WILL NEED TO READ AND UNDERSTAND THE CODE BEFORE USING THIS, as modifications will be required. Though its only 200-300 lines of code, so hopefully it won't be too difficult to figure that out. To unroll the gzipped tarball, do the following from a Linux command line: gunzip idpLoadTester.tar.gz; tar -xvf idpLoadTester.tar
Devise Shibboleth Authenticatable RubyGem	Joe George	Devise Shibboleth Authenticatable is a Shibboleth based authentication strategy for the Devise authentication framework, http://github.com/plataformatec/devise .
ECP implementation in PHP	Ivan Novakov	Flexible and easily extensible PHP library for creating ECP enabled applications.S
Chef Cookbooks for Shibboleth	Elliot Kendall	Chef Cookbooks to install and configure the Shibboleth IdP, the Shibboleth SP, and Terracotta as Shibboleth IdP clustering solution.
JAGGER Resource Registry	Janusz Ulanowski	Web-based GUI for managing multiple federations (or webs of trust) and a Shibboleth IdP's metadata providers and attribute policy.
Salt formula for Shibboleth	Matthew X. Economou	SaltStack formula that installs and configures the Shibboleth IdP, the Shibboleth SP, and the Shibboleth DS; currently tested against CentOS 7 and FreeBSD 10, and intended for use with CentOS/Debian/FreeBSD/RHEL/SUSE /Ubuntu/Windows.

File	Modified 
File idpLoadTester.tar.gz	Oct 25, 2011 by Steve Thorpe
File schema.tgz	Jun 08, 2013 by Peter Schober
Hacked XSD schema files for validation of SAML metadata	
File ecp_pki_ref_client.py	Apr 27, 2015 by R Eastman
File ecp.py	
Tested against IdP 3.2.1	Apr 27, 2016 by Scott F Koranda
File ecp.sh	
Tested against IdP 3.2.1	Apr 27, 2016 by Scott F Koranda

 [Download All](#)